



# MOD: XVC505

## EXPLODED VIEW DISEGNO



### DESCRIZIONE CODICI

|    |          |  |
|----|----------|--|
| 1  | 0D1910A0 | COPERCHIO INOX XVC305/505/705            |
| 2  | 0D1900A0 | FIANCO SX INOX XVC505                    |
| 3  | 0D1901A0 | FIANCO DX INOX XVC505                    |
| 4  | 0F1315A0 | SCHIENA INOX XVC505                      |
| 5  | 0G1360A0 | CARTER ARIA INOX XVC505                  |
| 6  | 0G1375A0 | DIST. CARTER ARIA INOX XVC305/505/705    |
| 7  | 0H1450A0 | ANGOLO FACCIATA MUFFOLA INOX XB-XV-XG    |
| 8  | 0H2551A0 | TAPPO PER TUBO DI SCARICO LIQUIDI INOX C |
| 9  | 0H2650A0 | CERNIERA INOX VETRO INTERNO XBC/XVC      |
| 10 | 0H2560A0 | CONTROSTAFFA ZINCATA PORTA C.T.          |
| 11 | 0H2655A1 | TUBO D-INT=6 SP=1 INOX SCARICO           |
| 12 | 0H3790A0 | LAMIERA TENUTA CAMINO                    |
| 13 | 0H4470A0 | PORTA COMPONENTI INOX XVC305/505/705     |
| 14 | 0H4305A1 | DISCO TENUTA ALBERO MOTORE INOX STP      |
| 15 | 0H4310A0 | PROFILO INOX PARACALORE CRUSCOTTO STP    |
| 16 | CE1310A1 | CAVO COLLEGAMENTO POTENZA CONTROLLO      |
| 17 | CE1665A0 | CAVO ALIMENTAZIONE BARRA LED 1 MT        |
| 18 | CE1285A0 | FERRITE EMI ROUND MOD. 2643801502        |
| 19 | EL1020A0 | RACCORDO INTERMEDIO "T" TUBO ø8          |
| 20 | EL1055A0 | RIDUZIONE J.G. DA D=10 A D=8 PM201008E   |
| 21 | EL1210A0 | RACCORDO J.GUEST TERMINALE DIRITTO       |
| 22 | EL1252A0 | ELETTROVALVOLA H2O 1 VIA RID. VERDE      |
| 23 | CE1355A1 | CAVO 5X2,5MMQ H07RN-F L=1,5MT            |
| 24 | CE212    | MORSETT. SFK/7FTW GV V0 00160593         |
| 25 | V11035A1 | NOTTOLINO M6x12,5 CON TAGLIO OTT.CROM.FE |
| 26 | EL1185A0 | RACCORDO A GOMITO J.GUEST Ø8 - Ø8        |
| 27 | EL1195A0 | RACCORDO A GOMITO CON J.GUEST            |
| 28 | EL1360A0 | ELETTROVALVOLA H2O TRI-STADIO            |
| 29 | EL1370A0 | RIDUTTORE PRESSIONE 2 BAR CUBEAIR        |
| 30 | EL1375A0 | FILTRO ACQUA Ø8 MESH100                  |
| 31 | GN1085A1 | GUARNIZIONE PTFE+CARB 145X28X1           |
| 32 | GN1140A1 | GUARNIZIONE PORTAMOTORE STAMP.           |
| 33 | GN1180A0 | GUARNIZIONE CERNIERE VETRO INT.          |
| 34 | GN1275A0 | GUARNIZIONE CAMINO SILICONE NERO XVC     |
| 35 | GN1285A0 | GUARNIZIONE Sonda DI TEMPERATURA NTC     |
| 36 | GN1200A0 | GUARNIZIONE D=24 RACCORDO 3/4 GOMMA+RETE |
| 37 | GN1310A0 | GUARNIZIONE PIATTELLO VENTURI SILICONE   |
| 38 | GN1326A0 | GUARNIZIONE RES. 70X22X0,8               |
| 39 | GN1000B0 | GUARNIZIONE NERA 50 SHORE FORNI XB-XG-XV |
| 40 | GRL1225A | SUPPORTO LATERALE DX INOX 7TG GN1/1      |
| 41 | GRL1226A | SUPPORTO LATERALE SX INOX 7TG GN1/1      |
| 42 | VM1180A0 | IMPUGNATURA MANIGLIA XVC204/304/504/704  |
| 43 | PD1001A0 | PIEDINO 35X35 H26 PLASTICA+GOMMA GRIGIO  |
| 44 | LP1002B0 | BARRA ILLUMINAZIONE LED L400             |
| 45 | PE1710A0 | SENSORE NUMERO GIRI MOTORE               |
| 47 | PE1725A3 | SCHEDA POTENZA FORNI C.T. B.T. SERIE     |
| 48 | TB1815A0 | TUBO PE 7,93X4,75 TRASPARENTE            |
| 49 | PE1740A0 | ASSIEME SCHEDA CONTROLLO PE1705          |
| 50 | RC1170A1 | DADO M14 H=8 CH=22 INOX                  |
| 51 | RC1210A1 | RACCORDO 3/4 VALVOLA DI NON RITORNO      |
| 52 | RS1225A0 | RESISTENZA 6 SPIRE 1,7+1,7+1,3 KW 230V   |
| 54 | RS1215A0 | RESISTENZA 1 SPIRA 147 W 105 V           |
| 55 | TR255B   | TERMOSTATO SIC.+UNIPOL.330°C Ty95H       |

|     |          |  |
|-----|----------|--|
| 56  | TB1190A0 | COLONNINA DX INOX PORTA XVC505 XBC605    |
| 57  | TB1191A0 | COLONNINA SX INOX PORTA XVC505 XBC605    |
| 58  | TB1220A0 | LISTELLO SUP INOX PORTA XVC305/505/705   |
| 59  | VE1020A1 | MICROINTERRUTTORE PORTA MAGNETICO        |
| 60  | TB1221A0 | LISTELLO INF INOX PORTA XVC305/505/705   |
| 61  | VE1075A0 | PRESSACAVO FV 268 RO+VITI FISSAGGIO      |
| 62  | TB1515A0 | TUBO ESTERNO UMIDITA + RACCORDO          |
| 63  | TB1923A0 | TUBO SILICONE VENTURI D25 XVC505         |
| 64  | TB1750A0 | TUBO INTERNO UMIDITA CENT. XVC505        |
| 65  | TB1751A0 | TUBO INTERNO UMIDITA SX XVC505           |
| 66  | TF1010A0 | BOCCOLA TEFLON CERNIERA VETRO            |
| 67  | TR1041A2 | SONDA AL CUORE STAMPATA L=2000           |
| 68  | VM1075A1 | CLIP DI FISSAGGIO PER TELERUTTORI        |
| 69  | TR1105A0 | SONDA TEMPERATURA PT100 L=1000           |
| 70  | VM1160A1 | STAFFA INF. PORTA XVC204/304/504/704     |
| 71  | VM1165A1 | STAFFA SUP. PORTA XVC204/304/504/704     |
| 72  | VM1166A0 | COPERCHIO STAFFA SUPERIORE PORTA         |
| 73  | VE1030A1 | CALAMITA D=22,9mm PER MICROPORTA         |
| 74  | VE1115A0 | MINICONTATTATORE QUADRIPOLORE 20 A 230 V |
| 75  | VE1135A0 | ATTUATORE VENTURI 220V 50/60 Hz SERIE 2  |
| 76  | VM1190A1 | SCROCCO MANIGLIA DX XVC204/304/504/704   |
| 77  | VM1191A1 | SCROCCO MANIGLIA SX XVC204/304/504/704   |
| 78  | VM1192A0 | COPERCHIO SCROCCO MANIGLIA XVC204/304/5  |
| 79  | VM1195A0 | PIASTRINA COPRIFORI XVC204/304/504/704   |
| 80  | VE1360A0 | TRASFORMATORE 230V - 12V 60VA            |
| 81  | VM1201A1 | PIASTRINA SUPPORTO MICROPORTA MAGNETICO  |
| 82  | VE1110A0 | CONDENSATORE 6,3 µF 450VAC 50/60Hz       |
| 83  | VM1216B0 | CASSETTO RACCOGLIGOCCE XVC104/304/504/7  |
| 84  | VM1220A0 | CLIP FISSAGGIO CASSETTO RACCOGLIGOCCE    |
| 85  | VM1170B0 | TAPPO FULCRO SUP. PORTA XVC204/304/504/7 |
| 86  | VM1171B0 | TAPPO FULCRO INF. PORTA XVC204/304/504/7 |
| 87  | VM1175A0 | TAPPO ESTETICO COLONNINA PORTA           |
| 88  | VM1206B0 | PROFILO SALVAGOCCIA PORTA XVC304/504/704 |
| 89  | VM1260A0 | CURVA A 90° RACCORDO SCARICO             |
| 90  | VM250    | MORSETT.A PETTINE                        |
| 91  | VM1230A0 | CERNIERA SUP. ALLUMINIO VETRO            |
| 92  | VM1231A0 | CERNIERA INF. ALLUMINIO VETRO            |
| 93  | VM1236A0 | FERMA VETRO INTERNO INF. XVC204/304/504  |
| 94  | VM1235A0 | FERMA VETRO INTERNO SUP. XVC204/304/504  |
| 95  | VM1310A0 | SCATOLA COPRI MORSETTIERA XB/XV/XVC/XG   |
| 96  | VM1460A0 | COPERCHIO DX SCROCCO PORTA XBC/XVC       |
| 97  | VM1461A0 | COPERCHIO SX SCROCCO PORTA XBC/XVC       |
| 98  | VM1465A0 | COPERCHIO Sonda TEMPERATURA CHEFTOP      |
| 99  | VM1490A0 | COPRI VITI MANIGLIA CHEFTOP BAKERTOP     |
| 100 | VM1505A0 | PASSAPARETE CON DIAFRAMMA                |
| 101 | VM1510A0 | BOCCOLA SCANALATA PERNO PORTA XBC/XVC    |
| 102 | VM1511A0 | BOCCOLA LISCIA PERNO PORTA CHEFTOP       |
| 103 | VM1555A0 | SUPPORTO VENTOLA RAFFREDDAMENTO CT-BT    |
| 104 | VM1556A0 | PROTEZIONE VENTOLA RAFFREDDAMENTO CT-BT  |
| 105 | VM1565A1 | PORTA BOBINA INFERIORE VENTURI           |
| 106 | VM1566A0 | PORTA BOBINA SUPERIORE VENTURI           |
| 107 | VM1635A0 | DISCO SUPPORTO MAGNETE                   |
| 108 | PE102    | SUPPORTO PER SCHEDA 24POT98              |

|     |          |  |
|-----|----------|--|
| 109 | VN1030A3 | VENTOLA D=196 H=81 39 PALE INOX DADO M8  |
| 110 | VN1120B0 | VENTOLA RAFFREDDAMENTO 12V               |
| 111 | VN1130A0 | MOTORE FORNO 330W 230V 50/60HZ           |
| 112 | VT1100A0 | VETRO INTERNO 633X620X6 BETFL XVC504     |
| 113 | VT1101B0 | VETRO ESTERNO SER. 647X743X4 CTFL XVC505 |

# MOD: XVC505

## EXPLODED VIEW DISEGNO



### DESCRIPTION

|    |          |   |
|----|----------|---|
| 1  | 0D1910A0 | XVC305/505/705 STAINLESS STEEL COVER      |
| 2  | 0D1900A0 | XVC505 STAINLESS STEEL LEFT SIDE PANEL    |
| 3  | 0D1901A0 | XVC505 STAINLESS STEEL RIGHT SIDE PANEL   |
| 4  | 0F1315A0 | XVC505 STAINLESS STEEL BACK PANEL         |
| 5  | 0G1360A0 | XVC505 STAINLESS STEEL FAN GUARD          |
| 6  | 0G1375A0 | XVC305/505/705 ST. STEEL FAN GUARD SPACER |
| 7  | 0H1450A0 | XB-XV-XG ST. STEEL MUFFLE FRONT CORNER    |
| 8  | 0H2551A0 | XBC/XVC ST. STEEL COVER FOR DRAIN PIPE    |
| 9  | 0H2650A0 | XBC/XVC ST. STEEL INTERNAL GLASS HINGE    |
| 10 | 0H2560A0 | XBC/XVC ZINC PLAT. DOOR COUNTERBRACKET    |
| 11 | 0H2655A1 | STAINL. STEEL DRIP DRAIN TUBE INT-D=6     |
| 12 | 0H3790A0 | CHIMNEY HOLDING PLATE                     |
| 13 | 0H4470A0 | XVC3/5/705 ST. ST. EL. COMPONENTS PANEL   |
| 14 | 0H4305A1 | ST. STEEL SEALING DISC FOR MOTOR SHAFT    |
| 15 | 0H4310A0 | MOLDED ST. STEEL HEAT-GUARD FOR PANEL     |
| 16 | CE1310A1 | POWER - CONTROL BOARD CONNECTING CABLE    |
| 17 | CE1665A0 | LED 1 MT POWER SUPPLY CABLE               |
| 18 | CE1285A0 | EMI ROUND FERRITE MOD.2643801502          |
| 19 | EL1020A0 | INTERMEDIATE "T" CONNECTION Ø8            |
| 20 | EL1055A0 | STRAIGHT REDUCTION FROM D=10 TO           |
| 21 | EL1210A0 | J. GUEST STRAIGHT END CONNECTION          |
| 22 | EL1252A0 | ONE INLET WATER VALVE J.G.CONN.           |
| 23 | CE1355A1 | CABLE 5 X 2,5 MMQ H07RNF L = 1,5 MT       |
| 24 | CE212    | TERMINAL BOARD SFK/7FTW GV V0 00160593    |
| 25 | VI1035A1 | CHROMIUM PLATED BRASS NUT M6x12,5         |
| 26 | EL1185A0 | ELBOW CONNECTION J. GUEST Ø8 - Ø8         |
| 27 | EL1195A0 | ELBOW UNION WITH J.GUEST TERMINAL         |
| 28 | EL1360A0 | THREE-STAGE WATER SOLENOID VALVE          |
| 29 | EL1370A0 | DYNAMIC PRESSURE REDUCER 2 Bar            |
| 30 | EL1375A0 | Ø8 MESH100 WATER FILTER                   |
| 31 | GN1085A1 | PTFE+CARB SEALING 145X28X1                |
| 32 | GN1140A1 | MOLDED MOTOR SUPPORT GASKET               |
| 33 | GN1180A0 | INTERNAL GLASS HINGE CARBOGRAPHITE        |
| 34 | GN1275A0 | BLACK SILICON XBC/XVC CHIMNEY SEALING     |
| 35 | GN1285A0 | NTC TEMPERATURE PROBE SEALING             |
| 36 | GN1200A0 | 3/4 CONNECTION SEAL D=24 RUBBER+NET       |
| 37 | GN1310A0 | VENTURI PIPE CLOSING SILICON DISC         |
| 38 | GN1326A0 | ELEMENT SEALING 70X22X0,8                 |
| 39 | GN1000B0 | BLACK DOOR SEAL 50 SHORE OVENS XB-XG-XV   |
| 40 | GRL1225A | 7 GN1/1 ST. STEEL RIGHT LATERAL SUPPORT   |
| 41 | GRL1226A | 7 GN1/1 ST. STEEL LEFT LATERAL SUPPORT    |
| 42 | VM1180A0 | HANDLE HAFT XVC204/304/504/704            |
| 43 | PD1001A0 | FOOT 35X35 H26 GREY PLASTIC+RUBBER        |
| 44 | LP1002B0 | LED LIGHTING BAR L400                     |
| 45 | PE1710A0 | MOTOR REVOLUTIONS SENSOR                  |
| 47 | PE1725A3 | SERIES 5 CT. B.T. POWER CARD              |
| 48 | TB1815A0 | WHITE PE PIPE 7,93X4,75                   |
| 49 | PE1740A0 | CONTROL BOARD PE1705 + BOARD COVER        |
| 50 | RC1170A1 | STAINLESS STEEL NUT M14 H=8 CH=22         |
| 51 | RC1210A1 | 3/4 FEM. UNION+ FILTER + NONRETURN VALVE  |
| 52 | RS1225A0 | 6 T. HEATING ELEMENT 1,7+1,7+1,3 KW 230V  |
| 54 | RS1215A0 | 147 W 105 V 1 TURN HEATING ELEMENT        |
| 55 | TR255B   | SAFETY THERMOSTAT+UNIPOL. 330°C           |

|     |          |   |
|-----|----------|---|
| 56  | TB1190A0 | XVC505 XBC605 ST. STEEL RIGHT DOOR COLUMN |
| 57  | TB1191A0 | XVC505 XBC605 ST. STEEL LEFT DOOR COLUMN  |
| 58  | TB1220A0 | XVC305/505/705 ST. STEEL DOOR UPPER BAR   |
| 59  | VE1020A1 | MAGNETIC DOOR MICROSWITCH                 |
| 60  | TB1221A0 | XVC305/505/705 ST. STEEL DOOR LOWER BAR   |
| 61  | VE1075A0 | CABLE PRESS FV 268 RO                     |
| 62  | TB1515A0 | STAINLESS STEEL EXTERNAL WATER            |
| 63  | TB1923A0 | XVC505 VENTURI SILICON PIPE D25           |
| 64  | TB1750A0 | XVC505 CENTRAL INT. WATER PIPE            |
| 65  | TB1751A0 | XVC505 LEFT INT. WATER PIPE               |
| 66  | TF1010A0 | TEFLON BUSHING FOR INTERNAL GLASS         |
| 67  | TR1041A2 | MOLDED CORE PROBE L=2000                  |
| 68  | VM1075A1 | PLASTIC CLIP TO FIX CONTACTORS            |
| 69  | TR1105A0 | TEMPERATURE PROBE PT100 L=1000            |
| 70  | VM1160A1 | XVC204/304/504/704 LOWER DOOR BRACKET     |
| 71  | VM1165A1 | XVC204/304/504/704 UPPER DOOR BRACKET     |
| 72  | VM1166A0 | CAP FOR DOOR UPPER STIRRUP XVC204/304/5   |
| 73  | VE1030A1 | MAGNET FOR DOOR MICROSWITCH D=22,9mm      |
| 74  | VE1115A0 | MINI CONTACTOR WITH 4 POLES 20 A 230 V    |
| 75  | VE1135A0 | VENTURI ACTUATOR 220 V 50/60 Hz SERIES 2  |
| 76  | VM1190A1 | RIGHT DOOR SPRING LATCH XVC204/304/504/   |
| 77  | VM1191A1 | LEFT DOOR SPRING LATCH XVC204/304/504/7   |
| 78  | VM1192A0 | DOOR SPRING LATCH CAP XVC204/304/504/704  |
| 79  | VM1195A0 | HOLES BLANKING PLATE XVC204/304/504/704   |
| 80  | VE1360A0 | 230V - 12V 60VA TRANSFORMER               |
| 81  | VM1201A1 | MAGNETIC SUPPORT PLATE FOR DOOR MICROSW.  |
| 82  | VE1110A0 | CONDENSER 6,3 µF 450VAC 50/60Hz           |
| 83  | VM1216B0 | DRIP TRAY XVC304/504/704                  |
| 84  | VM1220A0 | CLIP TO FIX DRIP TRAY C.T.                |
| 85  | VM1170B0 | DOOR UPPER FULCRUM-CAP XVC204/304/504/70  |
| 86  | VM1171B0 | XVC204/304/504/70 DOOR LOWER FULCRUM-CAP  |
| 87  | VM1175A0 | DOOR COLUMN BLANKING CAP XVC204/304/504   |
| 88  | VM1206B0 | DOOR DROP PRESERVER FORM XVC304/504/704   |
| 89  | VM1260A0 | 90°C CURVED DRAIN PIPE                    |
| 90  | VM250    | "COMB" TERMINAL BOARD                     |
| 91  | VM1230A0 | UPPER ALUMINIUM HINGE FOR INTERNAL        |
| 92  | VM1231A0 | LOWER ALUMINIUM HINGE FOR INTERNAL        |
| 93  | VM1236A0 | LOWER HOOK TO STOP INNER GLASS            |
| 94  | VM1235A0 | UPPER HOOK TO STOP INNER GLASS            |
| 95  | VM1310A0 | COVER FOR TERMINAL BOX XB/XV/XVC/XG       |
| 96  | VM1460A0 | XBC/XVC RIGHT DOOR LATCH CAP              |
| 97  | VM1461A0 | XBC/XVC LEFT DOOR LATCH CAP               |
| 98  | VM1465A0 | CHEFTOP TEMPERATURE PROBE COVER           |
| 99  | VM1490A0 | CHEFTOP/BAKERTOP HANDLE SCREWS COVER      |
| 100 | VM1505A0 | WALL PASSING WITH DIAPHRAGM               |
| 101 | VM1510A0 | XBC/XVC GROOVED DOOR PIN BUSHING          |
| 102 | VM1511A0 | XBC/XVC SLEEK DOOR PIN BUSHING            |
| 103 | VM1555A0 | XBC-XVC COOLING FAN SUPPORT               |
| 104 | VM1556A0 | XBC-XVC COOLING FAN GUARD                 |
| 105 | VM1565A1 | LOWER VENTURI COIL SUPPORT                |
| 106 | VM1566A0 | UPPER VENTURI COIL SUPPORT                |
| 107 | VM1635A0 | MAGNET HOLDING DISC                       |
| 108 | PE102    | SUPPORT FOR CARD 24POT98                  |

|     |          |                                    |
|-----|----------|------------------------------------|
| 109 | VN1030A3 | ST. STEEL FAN D=196 H=81 39 BLADES |
| 110 | VN1120B0 | 12V COOLING DOWN FAN               |
| 111 | VN1130A0 | 330W 230V 50/60HZ MOTOR            |
| 112 | VT1100A0 | INNER GLASS 633X620X6 BETFL XVC504 |
| 113 | VT1101B0 | XVC505 EXTERNAL GLASS 647X743x4    |



Titanservice.su