




Drawn : A.V.

Date : 28-04-1995

Checked :

Modify :

Type : WK1 - 40 LITER VA 30002

From mach.nr : 2E09821

Date : 05/95



Rated voltage : 3N~ 380-415V 50-60Hz

EXPLODED VIEW

**Animo**  
Amersfoort/Assen

Nr. of pages : 1/2  
Drawing nr. : P30002

Revision nr :  
Revision date :



Modify :

Drawor : A.V.

Date : 28-04-1995

Checked :

*[Signature]*

Revision nr :  
Revision date :

Nr. of pages : 2/2  
Drawing nr. : P30002

**Animo**  
Amersfoort/Assen


EXPLODED VIEW

Type : WK1 - 40 LITER VA 30002

From mach.nr : 2E09821

Date : 05/95

Rated voltage : 3N~ 380-415V 50-60Hz


| Code                                 | Artikelnr | Omschrijving                   | Description                                                                                     | Beschreibung                   | Designation                                |
|--------------------------------------|-----------|--------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------------|
| 01                                   | 34156     | ONTLUCHTINGSVENTIEL WKI        | AIR RELEASE VALVE WKI                                                                           | ENTLUFTUNGSVENTIL WKI          | D'ECHEPPLEMENT D'AIR WKI                   |
| 02                                   | 34211     | DEKSEL WKI 40/60               | CAP WKI 40L                                                                                     | DECKEL WKI 40L                 | COUVERCLE WKI 40L                          |
| 03                                   | 08070     | O-RING 330x4mm                 | O-RING FOR LID HK 60/100                                                                        | O-RING FUER DECKEL HK 60/100   | O-ANNEAU POUR COUVERCLE                    |
| 04                                   | 34300     | DOPJE PEILGLAS BESCHERMER PROD | GAUGE GLASS CAP                                                                                 | KAPPE SCHUETZHELZE             | BOUCHON DU PROTECTEUR                      |
| 05                                   | 34126     | PEILGLAS DESCH CPL WKI40 L-487 | G.G. PROTECTOR CPL WKI40 L-487                                                                  | S.SCHUTZHELSE KPL WKI40 L-487  | PROT.DE TUBE DE NIV.WKI40 L487             |
| 06                                   | 05246     | PEILGLASHOUDER VLGS TEK 0-36-2 | GAUGE GLASS HOLDER                                                                              | SCHIAUGLASHALTER               | PORTE JAUGE                                |
| 07                                   | 34125     | PEILGLAS CPL WKI 40 L-493      | GAUGE GLASS CPL WKI 40 L-493                                                                    | SCHIAUGLAS KPL WKI 40 L-493    | TUBE DE NIV. WKI 40 L-493                  |
| 08                                   | 08065     | INDEX WKI 40/60                | LITRE-INDEX WKI 40                                                                              | LITERSKALA WKI 40              | ECHELLE GRADUEE WKI 40                     |
| 08                                   | 08066     | INDEX WKI 40/60 BOVEN 30/60    | LITRE-INDEX WKI 40                                                                              | LITRE-INDEX WKI 40             | ECHELLE GRADUEE WKI 40                     |
| 09                                   | 34122     | PEILGLASHOEKLIJN WKI 40        | ST.ST. STRIP FOR INDEX WKI 40                                                                   | ED.ST.STREIFEN FUR SKALA WKI40 | INOX BANDE POUR INDEX WKI 40               |
| 10                                   | 07097     | MOER MESS 1/2" CHR SLW24 CONNE | NUT 1/2" BRASS CHR                                                                              | MUTTER 1/2" MESSING CHR.       | ECROU 1/2" LAITON CHR.                     |
| 11                                   | 08041     | PAKKINGRING 25x21 x 2 FIBER    | FIBRE RING 25x21x2mm FIBER                                                                      | DICHTUNG 25x21x2mm FIBER       | BOURRAGE 25x21x2mm FIBER                   |
| 12                                   | 34120     | OVERLOOPPIJP WKI 40            | OVERFLOW PIPE WKI40                                                                             | UEBERLAUFROHR WKI40            | CONDUITE DE DEVERSOIR WKI 40               |
| 13                                   | 04007     | SPINDEL+HANDWIEL KRA/PGL 54115 | SPIN.+HANDWI.TAP LEV.GAU.04006                                                                  | SPIND.+HANDR.HAHN/SCH.GL.04006 | BRO.+VOL. DE MAN.ROB./JA.04006             |
| 14                                   | 04023     | O-RING PEILGLASAANSLUITING     | GAUGE GLASS O-RING                                                                              | SCHAUGLAS O-RING               | JOINT POUR TUBE DE NIVEAU                  |
| 15                                   | 54113-K   | KRAANSTUK 1/2x15x3/8 PLGL CHR  | GAUGE GLASS TAP BODY                                                                            | ECKVENTIL MIT SCHAUGL.ANSL.    | ROBINET DE TUBE DE NIVEAU                  |
| 16                                   | 54115     | KRAAN PEILGLAS CPL WKI         | GAUGE GLASS CPL WKI                                                                             | ECKVENTIL M.SCHAUGL. KPL WKI   | ROBINET DE TUBE DE NIV.CPL WKI             |
| 17                                   | 04070     | O-RING 25.5x18.5x3.5           | O-RING 25.5x18.5x3.5                                                                            | O-RING 25.5x18.5x3.5           | O-RING 25.5x18.5x3.5                       |
| 18                                   | 34168-K   | SIERRING ROZET CHR             | ORNAMENTAL RING CHROME                                                                          | ZIERRING CHR.                  | BAGUE ORNAMENTALE CHR.                     |
| 19                                   | 07081     | AFDICHTPLUG MESS 3/4u SW30 TRH | DRAIN PLUG 3/4" BRASS                                                                           | STOPFEN 3/4" MESSING SW30      | FICHE 3/4" LAITON                          |
| 20                                   | 08044     | PAKKINGRING 32x26.5x 3 FIBER   | PACKING 32x26.5x3 FIBER                                                                         | DICHTUNG 32x26.5x3 FIBER       | BOURRAGE 32x26.5x3 FIBER                   |
| 21                                   | 02354     | KADELTREKONTLASTER Z-KLEMMEN   | CABLE INLET                                                                                     | KABELEINFUEHRUNG               | ENTREE DE CABLE                            |
| 22                                   | 08150     | AFDICHTINGSSTOP TYPE DP 437    | PLUG                                                                                            | STOPFEN                        | BOUCHON                                    |
| 23                                   | 04075     | OVERLOOPTRECHTER NO.215        | OVERFLOW FUNNEL NO.215                                                                          | UEBERLAUFTRICHTER              | ETONNOIR DE TROP PLEIN                     |
| 24                                   | 34124     | ONDERBODEM WKI 40              | BOTTOM WKI40                                                                                    | BODEN WKI 40L                  | SOUSFOND WKI40                             |
| 25                                   | 07071     | AFTAPPLUG 3/4"xM6 MESS.        | DRAIN PLUG 3/4"xM6 BRASS                                                                        | ABLASSTOPFEN 3/4"xM6 MESSING   | BOUCHON DE DRAINAGE 3/4"xM6 J              |
| 26                                   | 04030     | KRAAN ONDERAFTAP 3/4X3/4 WKI   | TAP VALVE 3/4X3/4 WKI                                                                           | VENTILHAHN 3/4X3/4 WKI         | ROBINET DE SOUPAPE 3/4X3/4 WKI             |
| 28                                   | 07024     | HIPPEL MESS 3/4u L-20          | SMOOTH STRAIGHT HIP.3/4x20BRASS                                                                 | GLAT.RECHT.HIPPEL3/4x20 MESS   | DOUILLE DROIT 3/4"x20 JAUNE                |
| 29                                   | 07142     | HIPPEL MESS 1/2ux3/8u          | DIMINISHING HIP.1/2"x3/8" BRASS                                                                 | REDUZIERHIPPEL 1/2"x3/8" MESS. | RACCORD A VIS 1/2"x3/8" JAUNE              |
| Type : WKI 40 L VA 30002             |           |                                | Drawer : MT                                                                                     | Modify :                       |                                            |
| From mach.nr.: 2E09821               |           |                                | Date : 95/05/11                                                                                 |                                |                                            |
| Date : 95/05/08                      |           |                                | Checked :  |                                |                                            |
| Rated voltage : 3H~ 380-415V 50-60Hz |           | PARTS LIST                     | ***** A N I M O *****<br>Amersfoort Assen                                                       | Drawing nr. : M30002           | Revision nr. : 0<br>Revision date : 950508 |

| Code | ArtikelNr | Omschrijving                   | Description                     | Beschreibung                     | Designation                    |
|------|-----------|--------------------------------|---------------------------------|----------------------------------|--------------------------------|
| 30   | 04086     | VUILFILTER CPL CHR WKI         | FILTER CPL CHR WKI              | FILTER CPL CHR WKI               | FILTRE CPL CHR WKI             |
| 31   | 07221     | MESS.STAARTSTUK FI-10/100-1-16 | TAIL PIECE 3/8" BRASS CHR.      | SCHWANSST. 3/8" MESS.CHR.        | QUEUE 3/8" LAITON CHR.         |
| 32   | 07259     | MOER MESS SPEC VERHOOGDE POS.B | NUT 3/4" BRASS CHR. FOR 07221   | MUTTER 3/4"MESS.CHR FUER 07221   | ECROU 3/4" CHR. POUR 07221     |
| 33   | 08040     | PAKKINGRING 24x16 x 2 FIBER    | FIBRE RING 24x16x2mm FIBER      | DICHTUNG 24x16x2mm FIBER         | BOURRAGE 24x16x2mm FIBER       |
| 34   | 34507-K   | SIERRING THERMOSTAAT R=191 CHR | ORNAMENTAL RING TH.STAT. R=191  | ZIERRING FUER THERMOSTAT R=191   | ANNEAU DECORAT.THERMOST. R=191 |
| 35   | 08153     | DOORVOERWARTEL TREKONTL.       | CONDUCT COUPLING NUT BREWDISCH. | WEITERL.UEBERHURFMUTTER ZIEHENT. | JOINT TUBE ECOUL.AVANT BLOC    |
| 36   | 34121     | WATERTOEVERPIJP WKI 40         | WATER SUPPLY PIPE WKI40         | WASSERZULAUFROHR KWG 40          | TUYAU D'ARRIVEE D'EAU WKI 40   |
| 37   | 07231     | BESCHERMDOOPJE M8x1 TBV DROOGK | PROTECTING CASE M8x1 BLACK      | SCHUTZKAPPE M8x1 SCHWARZ         | PROTEGE THERMOSTAT M8x1 NOIR   |
| 38   | 06287     | BLADVEER RVS 6/6               | PLATE SPRING ST.ST.6/6          | BLATTFEDER EDELS. 6/6            | LAME METALLIQUE INOX 6/6       |
| 39   | 06336     | BLADVEER RVS 8/3-6/3           | PLATE SPRING ST.ST. 8/3-6/3     | BLATTFEDER EDELS. 8/3-6/3        | LAME METALLIQUE INOX 8/3-6/3   |
| 40   | 03040     | KNOP THERMOSTAAT 30-100C 03090 | KNOB OF THERMOSTAT (03090)      | THERMOSTATKNOPF (03090)          | BOUTON DE THERMOSTAT (03090)   |
| 41   | 08267     | BUS NYLON 6.2x10x5             | SPACER NYLON 6.2x10x5           | DISTANZHUELS POLYAM. 6.2x10x5    | ENTRETOISES NYLON 6.2x10x5     |
| 42   | 03045     | THERMOMETER 0-100 C WKI/T      | THERMOMETER 1/4"                | THERMOMETER 1/4"                 | THERMOMETRE 1/4"               |
| 43   | 39200     | VLOTTERKRAAN CPL WKI/WKT       | FLOATING MECH.VALVE CPL.WKI/T   | SCHWIMMERHAHN KPL WKI/WKT        | MECH. FLOTTEUR CPL. WKI/WKT    |
| 44   | 08047     | PAKKINGRING 22x17 x 1.5 FIBER  | PACKING 22x17x1.5 FIBER         | DICHTUNG 22x17x1.5mm FIBER       | BOURRAGE 22x17x1.5 FIBER       |
| 45   | 34175-K   | SLUITRING MESS 23x17x1.5 CHR   | HASCHER BRASS 23x17x1.5 CHR.    | UNTERLEGSCH. 23x17x1.5 CHR.      | RONDELLE LAITON 23x17x1.5 CHR. |
| 46   | 34772-K   | MOER 3/8" x 4 MESS CHR         | NUT 3/8" x 4 BRASS CHR.         | MUTTER 3/8" x 4 MESS. CHR.       | ECROU 3/8" x 4 JAUNE CHR.      |
| 47   | 34780-K   | VLOTTERKRAAN INSPUITER MES NIK | INJECTION FL.MECH.BRASS NICKEL  | EINSPRITZER SCHW.MECH.MESS. NI   | INJECTION SUP.FLOT.LAITON NI   |
| 48   | 08022     | VLOTERRUBBER 5mm SILICONEN     | FLOAT RUBBER 5mm SILICON        | SCHWIMMERGUMMI 5mm SILIKONEN     | JOINT 5mm SILICON              |
| 49   | 04050     | VLOTTERKRAAN RUBBERHOUDERKLEP  | FLOAT VALVE                     | SCHWIMMERVENTIL                  | SOUPAPE DE FLOTTEUR            |
| 50   | 04049     | VLOTTERKRAAN ASBORGRING        | SAFETY RING FOR 04048           | SICHERUNGSRING FUER 04048        | ANNEAU DE SECURITE POUR 04048  |
| 51   | 34770-K   | VLOTTERKRAAN HUIS MESS NIK     | FLOATING MECH. HOUSE BRASS NI   | SCHWIMMERGEHAUSE MESS. NICKEL    | BOISSEAU DE FLOTTEUR LAITON NI |
| 52   | 34771-K   | VLOTTERKRAAN ASJE MESS NIK     | FLOATING MECH. AXIS BRASS NI    | SCHWIMMER MECH. AXISE MESS.NI    | MECH.FLOTTEUR AXE LAITON NI    |
| 53   | 34751-K   | VLOTTERARM WKI 40/60 L-310 NIK | FLOATING ARM WKI40/60 L-310 NI  | SCHWIMMERARM WKI40/60 L=310 NI   | BRAS DE FLOTT.WKI40/60 L=310NI |
| 54   | 34758     | VLOTTERBAL WKI GEGLOEID CPL    | FLOATING BALL WKI/WKT           | SCHWIMMERBALL WKI/WKT            | BALLE DE FLOTTEUR WKI/WKT      |
| 55   | 34776-K   | VLOTTERPIJP L- 450 MESS NIK    | WATERSUPPLY PIPE L-450 NICKEL   | WASSEREINLAUFROHR L=450 NICKEL   | TUYAU D'EAU L=450 LAITON NI    |
| 56   | 04140     | KRAAN KURI 3/4 tbv WKI         | KURITAP 3/4 WKI                 | ZAPFHAHN 3/4 WKI                 | ROBINET KURI 3/4 WKI           |
| 57   | 04004     | HANDWIEL KURI 04002+04140 WKI  | VAL.HANDW.KURI 04002+04140 WKI  | VEN.HANDR.KURI 04002+04140 WKI   | VOL.DE MAN.KURI04002+04140 WKI |
| 58   | 04003     | SPINDEL KURI 04002+04140 WKI   | SPINDLE KURI 04002+04140 WKI    | SPINDEL KURI 04002+04140 WKI     | BROCHE KURI 04002+04140 WKI    |

Type : WKI 40 L VA 30002  
From mach.nr.: 2E09821  
Date : 95/05/08

Drawer : HT

Date : 95/05/11

Checked : 

Modify :

Rated voltage : 3H~ 380-415V 50-60Hz

PARTS LIST

\*\*\*\*\* A N I M O \*\*\*\*\*


Amersfoort

Assen


Drawing nr. : M30002

Revision nr. : 0

Revision date : 950508

| Code                                                                                                                                                                                                                                                                                                        | Artikelnr | Omschrijving                   | Description                               | Beschreibung                             | Designation                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------|-------------------------------------------|------------------------------------------|--------------------------------------------|
| 59                                                                                                                                                                                                                                                                                                          | 04191     | PAKKINGRING 24x20 x 2 FIBER    | GASKET RING SPINDLE KURITAP               | DICHTUNGRING SPINDEL ZAPFHAIH            | ANNEAU JOINT BROCHE ROBI.KURI              |
| 60                                                                                                                                                                                                                                                                                                          | 04113     | O-RING 8x4.4x1.8               | O-RING 8x4.4x1.8                          | O-RING 8x4.4x1.8                         | O-ANNEAU 8x4.4x1.8                         |
| 61                                                                                                                                                                                                                                                                                                          | 04028     | KRAANLEERTJE KURI 04002/04140  | TAPLEATH.KURI-TAP 04002/04140             | DICHTUNG KURI-HAIH 04002/04140           | TAN.DE ROB.KURI 04002/04140                |
| 62                                                                                                                                                                                                                                                                                                          | 04080     | O-RING GROOT V/GROTEKRAAN      | O-RING LARGE FOR LARGE TAP                | O-RING GROSS V/GROSSE HAIH               | O-ANNEAU GRAND POUR ROBINET GR             |
| 63                                                                                                                                                                                                                                                                                                          | 04087     | KLEMRING KURI KUNST 04002/4140 | GASKET SHIVEL ARM 04002/4140              | KLEMRING 04002/4140                      | JOINT BEC.VER.ORIE 04002/4140              |
| 64                                                                                                                                                                                                                                                                                                          | 04054     | ZHENKARM S-MODEL 16x330mm      | SHIVEL-ARM 330mm S-MODEL                  | SCHWENKAUSLAUF 330mm S-MODELL            | BEC VERSEUR 330mm S-MODELE                 |
| <div> <div>Type : HKI 40 L VA 30002</div> <div>From mach.nr.: 2E09821</div> <div>Date : 95/05/08</div> </div> <div> <div>Drawer : MT</div> <div>Date : 95/05/11</div> <div>Checked : </div> </div> <div>Modify :</div> |           |                                |                                           |                                          |                                            |
| Rated voltage : 3H~ 380-415V 50-60Hz                                                                                                                                                                                                                                                                        |           | PARTS LIST                     | ***** A N I M O *****<br>Amersfoort Assen | Hr. of pages : 3<br>Drawing nr. : M30002 | Revision nr. : 0<br>Revision date : 950508 |

| Code                            | ArtikelNr | Omschrijving                   | Description                               | Beschreibung                             | Designation                              |
|---------------------------------|-----------|--------------------------------|-------------------------------------------|------------------------------------------|------------------------------------------|
| E1                              | 03022     | EL.WATER 3200W WKI/MW(R) 230V  | ELEMENT 3200W WKI/MW(R) 230V              | HEIZKOERPER 3200W WKI/MW(R)230           | RESISTANCE 3200W WKI/MW(R)230            |
| K1                              | 02013     | MAGN.SCH B6-16A 220V50/60Hz    | RELAY B6-16A 220V50/60Hz                  | MAGN.SCHALTER B6-16A 220V5/6Hz           | RELAIS B6-16A 220V50/60Hz                |
| S1                              | 02117     | SCHAKELAAR WIP 1P GR E         | SWITCH 1P GREEN SOLE                      | SCHALTER 1P GRUEN E                      | INTERRUPTEUR 1P VERT S                   |
| S2                              | 02118     | SCHAKELAAR WIP 1P OR E         | SWITCH 1P ORANGE SOLE                     | SCHALTER 1P ORANGE E                     | INTERRUPTEUR 1P ORANGE SIMLE             |
| S3                              | 03090     | THERMOSTAAT 0-100 WKI/MWR      | THERMOSTAT WKI                            | THERMOSTAT WKI                           | THERMOSTAT WKI                           |
| S4                              | 03093     | DROOGKOOKBEV. B-SERIE          | DRY-BOIL PROTECTION                       | TROCKENGESCHUTZ 16 (4) 380V              | SECURITE CONTRE CHAUFFE A SEC            |
| W1                              | 02236     | AANSLN 5x2.5 2.00m             | CABLE 5X2.5 2.00m                         | ANSCHLUSSKABEL 5X2.5 2.00m               | CORDON D'ALIMENTATION 5x2.5 2m           |
| X1                              | 02036     | KROONSTEEN 19/4KR              | HEAD STONE 19/4KR                         | KONTAKTKLOTZ 4-POLIG FC/DWI              | BLOQUE DE COURONNEMENT 19/4KR            |
| Y1                              | 02108     | MAGNV SPOEL 220/240V 50/60Hz S | SOLENOID COIL 220-240 50/60Hz S           | MAGN.V.SPULE 220-240V 50/60HzS           | BOBINE ELECTROV.220-240V 50/60S          |
| Y2                              | 02019     | MAGNV WKI MESS 220/240-50/60 S | SOLENOID WKI 220-240 50/60Hz              | MAGNETVENT WKI 220-240 50-60Hz           | ELECTROV. WKI 220-240 50-60Hz            |
| Type : WKI 40 LITER 30002       |           |                                | Drawer : MT                               | Modify :                                 |                                          |
| From mach.nr.: 74928            |           |                                | Date : 93/12/06                           |                                          |                                          |
| Date : 85/01/01                 |           |                                | Checked :                                 |                                          |                                          |
| Rated voltage : 3N~380V 50/60Hz |           | PARTS LIST                     | ***** A N I M O *****<br>Amersfoort Assen | Nr. of pages : 1<br>Drawing nr. : E30002 | Revision nr. :<br>Revision date : 931206 |



Type : WKI 40 L VA

Artikel : 30002

From mach.nr. : 4G24981

Date : 10/97

Page : 1-3

Rev. : 2 28-08-03


Drawer : A.V.

Date : 07-02-00

Rated voltage : 3N~ 380-415V 50-60Hz 9600W


**Spare Part Info**

\*\*\*\*\* **Animo** \*\*\*\*\*  
**Assen - Holland**



|                                            |                         |                                                    |                 |
|--------------------------------------------|-------------------------|----------------------------------------------------|-----------------|
| Type : WKI 40 L VA                         | From mach.nr. : 4G24981 | Page : 2-3                                         | Drawer : A.V.   |
| Artikel : 30002                            | Date : 10/97            | Rev. : 2 28-08-03                                  | Date : 07-02-00 |
| Rated voltage : 3N~ 380-415V 50-60Hz 9600W | <b>Spare Part Info</b>  | <b>***** Animo *****</b><br><b>Assen - Holland</b> |                 |





|                                            |                         |                                                    |                 |
|--------------------------------------------|-------------------------|----------------------------------------------------|-----------------|
| Type : WKI 40 L VA                         | From mach.nr. : 4G24981 | Page : 3-3                                         | Drawer : A.V.   |
| Artikel : 30002                            | Date : 10/97            | Rev. : 2 28-08-03                                  | Date : 07-02-00 |
| Rated voltage : 3N~ 380-415V 50-60Hz 9600W | <b>Spare Part Info</b>  | <b>***** Animo *****</b><br><b>Assen - Holland</b> |                 |